

VNSI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR Coordinates	THR elevation and Highest elevation of TDZ of Precision APP RWY
1	2	3	4	5	6
01	012°	1192x 30	Bitumen	270917 N* 0845843E	126m AMSL
19	192°	1192x30	Bitumen	270955 N* 0845853E	136m AMSL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
.....

VNSI AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
01	1192	1192	1192	1192	
19	1192	1192	1192	1192	

VNSI AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT Type	THR LGT COLOR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing Color, INTST	RWY edge LGT LEN, spacing Color	RWY End LGT Color	SWY LGT LEN (M) Color	Remarks
	LEN INTST	WBAR	PAPI	LEN	INTST	INTST	Color	Color	
1	2	3	4	5	6	7	8	9	10
19	NIL	Green	PAPI 3.00°	NIL	NIL	1192m, 60m White LIM	Red	NIL	
01	NIL	Green	APAPI 3.00°	NIL	NIL	1192m, 60m White LIM	Red	NIL	

VNSI AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN Location, characteristics and hours of operation	ABN:At Tower Building/IBN: NIL
2.	LDI Location and LGT Anemometer Location and LGT	NIL
3.	TWY edge and Centre line lighting	Edge: All TWY Centre Line : NIL
4.	Secondary power supply / switch over time	Secondary power supply to all lighting at AD/switch over Manually
5.	Remarks	NIL

* WGS 84 Coordinates