

VNJP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designation RWY NR | TRUE & MAG BRG | Dimensions of RWY (M) | Strength(PCN) and surface of RWY and SWY | THR Coordinates | THR elevation and Highest elevation of TDZ of Precision APP RWY |
|--------------------------|--------------------------|--------------------------|--|--------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 09 | 092 | 1306 x 30 | Bitumen | | 75 m AMSL |
| 27 | 272 | 1306 x 30 | Bitumen | | 75 m AMSL |
| Slope of RWY-SWY | SWY Dimensions (M) | CWY Dimensions (M) | Strip Dimensions (M) | OFZ | Remarks |
| 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | | |

VNJP AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|-------------|-------------|-------------|------------|-----------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 09 | 1300 | 1300 | 1300 | 1206 | RWY 09 Turning Pad not AVBL |
| 27 | 1306 | 1306 | 1306 | 1306 | Turning Pad AVBL |

VNJP AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | THR LGT color WBAR | VASIS PAPI | TDZ LGT LEN | RWY Center Line LGT Length, spacing color, INTST | RWY edge LGT LEN, spacing color INTST | RWY End LGT color | SWY LGT LEN (M) color | Remarks |
|-------------------|-------------------------------------|-----------------------------|---------------|-------------------|--|--|----------------------------|--------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 09 | NIL | NIL | PAPI 3.0° | NIL | NIL | NIL | NIL | NIL | |
| 27 | NIL | NIL | NIL | NIL | NIL | NIL | NIL | NIL | |

VNJP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY




| | | |
|----|--|---|
| 1. | ABN Location, characteristics and hours of operation | ABN: at Tower Building. |
| 2. | LDI Location and LGT Anemometer Location and LGT | LDI: Anemometer: TWR BLDG, not lighted |
| 3. | TWY edge and Centre line lighting | Edge: All TWY Centre Line: NIL |
| 4. | Secondary power supply / switch over time | Available. |
| 5. | Remarks | |

VNJP AD 2.24 CHARTS RELATED TO JANKPUR AIRPORT

| | | |
|--|-----------------|--------------|
| | Aerodrome Chart | VNJP AD 2-10 |
|--|-----------------|--------------|

AERODROME CHART OF JANAKPUR AIRPORT

TWR 122.5 MHZ



| PROFILE | |
|--------------------|---------------|
| ELEVATION | - 76.444m |
| RUNWAY DESIGNATION | - 09/27 |
| RUNWAY DIMENSION | - 1306m X 30m |
| APRON | - 3 AIRCRAFTS |

| AIRCRAFT STAND ALLOCATION | | |
|---------------------------|-----------------------------|-------------------|
| AIRCRAFT STAND | COORDINATES(LAT, LONG) | ELEVATION(m.AMSL) |
| 1 | 26°42'37.11", 85°55'25.95" | 75.462 |
| 2 | 26°42'36.35", 85°55'27.503" | 75.435 |
| 3 | 26°42'36.29", 85°55'25.95" | 75.458 |

| RUNWAY COORDINATES | | |
|--------------------|-----------------------------|--------|
| RWY 09 | 26°42'32.00", 85°54'58.898" | 75.462 |
| RWY 27 | 26°42'31.61", 85°55'42.41" | 75.435 |

| RUNWAY, TAXIWAY & APRON | | | | |
|-------------------------|---------|------------|---------------|---------|
| PAVEMENT | BEARING | SIZE | SURFACE TYPE | |
| RUNWAY | 09 | 91°5'12" | 1306 m x 30 m | ASPHALT |
| | 27 | 271°5'12" | | |
| TAXIWAY | | 15m | ASPHALT | |
| APRON | | 5400 sq.m. | CONCRETE | |

