

VNBP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Available with local airlines operator
2.	Fuel/Oil Types	NIL
3.	Fuelling facilities/capacity	NIL
4.	De-icing facilities	NIL
5.	Hanger space for visiting aircraft	NIL
6.	Repair facilities for visiting aircraft	NIL
7.	Remarks	-

VNBP AD 2.5 PASSENGER FACILITIES

1.	Hotels	in the city
2.	Restaurants	in the city
3.	Transportation	Taxi Service, Rickshaw from AD
4.	Medical Facilities	First Aid at AD, Hospitals in the city.
5.	Bank and Post Office	NIL
6.	Tourist Office	In the city.
7.	Remarks	-

VNBP AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD Category for fire fighting	NIL
2.	Rescue equipment	NIL
3.	Capability for removal of disabled aircraft	NIL
4.	Remarks	Wheel type Fire Extinguisher Available

VNBP AD 2.7 SEASONAL AVAILABILITY

Aerodrome is available throughout the year.

VNBP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Surface - Asphalt Concrete, Strength - ...
2.	Taxiway width, surface and strength	Width - Surface – Bitumen, Strength - ...
3.	ACL location and elevation	Location: - At Apron Elevation:- 679 ft.
4.	VOR/INS checkpoints	NIL.
5.	Remarks	-

VNBP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR Coordinates	THR elevation
1	2	3	4	5	6
15	152°	1200x30	Bitumen	274054.11N* 0842531.31E	210.5m AMSL
33	332°	1200x30	Bitumen	274020.05N* 0842552.85E	208.7m AMSL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
.....

VNBP AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
15	1200	1200	1200	1200	
33	1200	1200	1200	1200	

VNBP AD 2.14 APPROACH AND RUNWAY LIGHTING


RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color	SWY LGT LEN (M) color	Remarks
15	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	
33	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	

VNBP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN Location, characteristics and hours of operation	ABN : at Tower Building.
2.	LDI Location and LGT Anemometer Location and LGT	LDI: Anemometer:
3.	TWY edge and Centre line lighting	Edge: NIL Centre Line : NIL
4.	Secondary power supply / switch over time	Available.
5.	Remarks	

* WGS 84 Coordinates

BHARATPUR CTR and ATZ



Airspace	Lateral Dimention	Vertical Limit
Aerodrome Traffic Zone (ATZ)	5 NM RADIUS OF ARP	<u>2000 ft AGL</u> GND
Control Zone (CTR)	10 NM RADIUS OF NDB BHP	<u>7500 ft AMSL</u> GND