

**VNCG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

|    |   |  |
|----|---|--|
| 1. | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands | Taxiing guidance signs at intersections with TWY and RWY and at holding positions. Guide lines at apron.                 |
| 2. | RWY and TWY markings and LGT  | RWY: 10/28 THR, TDZ, Center line, RWY edge marked.<br>TWY: Center line, holding positions at TWY/RWY intersection marked |
| 3. | Stop bars   | .....  |
| 4. | Remarks   | -  |

**VNCG AD 2.10 AERODROME OBSTACLES**

| In area 2            |               |                |          |                     |         |
|----------------------|---------------|----------------|----------|---------------------|---------|
| OBST ID/ Designation | Obstacle type | Obst. position | ELEV/HGT | Markings/Type color | Remarks |
| a                    | b             | c              | d        | e                   | f       |
| -                    | -             | -              | -        | -                   | -       |

**VNCG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

|     |   |                  |
|-----|---|------------------|
| 1.  | Associated MET Office   | ---              |
| 2.  | Hours of service MET office outside hours                           | As ATS           |
| 3.  | Office responsible for TAF preparation periods of validity          | NIL              |
| 4.  | Type of landing forecast interval of issuance                       | NIL              |
| 5.  | Briefing/Consultation provided                                      | NIL              |
| 6.  | Flight documentation language(s) used                               | NIL              |
| 7.  | Charts and other information available for briefing or consultation | NIL              |
| 8.  | Supplementary equipment available for providing information         | NIL              |
| 9.  | ATS units provided with information                                 | Chandragadhi TWR |
| 10. | Additional information (limitation of service, etc.)                | NIL              |

**VNCG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

| Designation RWY NR | TRUE & MAG BRG     | Dimensions of RWY (M) | Strength(PCN) and surface of RWY and SWY | THR Coordinates | THR elevation and Highest elevation of TDZ of Precision APP RWY |
|--------------------|--------------------|-----------------------|--|-----------------|---|
| 1                  | 2                  | 3                     | 4  | 5               | 6   |
| 10                 | .....              | 1500x 30              | Bitumen                                  | .....           | .....   |
| 28                 | .....              | 1500x30               | Bitumen                                  | .....           | .....   |
| Slope of RWY-SWY   | SWY Dimensions (M) | CWY Dimensions (M)    | Strip Dimensions (M)                     | OFZ             | Remarks   |
| 7                  | 8                  | 9                     | 10                                       | 11              | 12  |
| .....              | .....              | .....                 | .....                                    | .....           | .....   |